



(<http://qcomponents.ca>)

● 1-800-363-6336

● 1-800-363-6336 (tel:1-800-363-6336)



Search for products here by keyword



0

Our sales counter is still closed to the public but however you can order and pay online for curbside pick up or have your order shipped to you. Please call us at 1-800-363-6336 or e-mail us at sales@qcomponents.ca for more info.

[HOME \(HOME.PHP\)](#) / [PRO AUDIO SPEAKERS AND HORNS \(HTTPS://QCOMPONENTS.CA/PRO-AUDIO-COMPONENT-LOUDSPEAKERS.HTML\)](https://qcomponents.ca/pro-audio-component-loudspeakers.html)
/ [PRO AUDIO WOOFERS \(HTTPS://QCOMPONENTS.CA/PRO-AUDIO-WOOFERS.HTML\)](https://qcomponents.ca/pro-audio-woofers.html)
/ [12" PRO DRIVERS \(HTTPS://QCOMPONENTS.CA/12-PRO-DRIVERS.HTML\)](https://qcomponents.ca/12-pro-drivers.html)
/ [B&C 12TBX100 - 8 OHM 12" 1000W FERRITE 4.0" VOICE COIL WOOFER](#)

B&C 12TBX100 - 8 ohm 12" 1000W Ferrite 4.0" Voice Coil Woofer

⬅ Previous product (<https://qcomponents.ca/B-and-C-15PZB100-PRO-SPK-15.html>)

Next product ➡ (<https://qcomponents.ca/B-and-C-14NDL88.html>)






(<https://qcomponents.ca/offers.php>)



(<http://www.bcspeakers.com/>)



(<https://qcomponents.ca/images/D/12tbx100.jpg>)



(<https://qcomponents.ca/images/D/12tbx100.png>)

SKU

555-015

Ship weight

12.40 kg

Priced per:



each
UPC:
Impedance:
8 ohm
Condition
new
Brand
B&C
Originally:
~~CDN \$387.37~~
Your price:
CDN \$310.97

1



Add To Cart



Ask a question about this product

Details

Send to friend

Customers also bought

Customer feedback

12" high efficiency subwoofer.

Save 20%



SPECIFICATIONS

Nominal Diameter: 12",
305mm
Nominal Impedance: 8
ohms
Nominal Power: 1000w
rms, 2000w program
Freq. Response: 45 Hz-
1.5 kHz
Sensitivity: 95 db 1w/1m
Voice Coil Diameter:
4.0", 76mm

MOUNTING INFORMATION


Overall Diameter: 12.5",
319mm
Baffle Hole Diameter:
11.1", 281mm
Mounting Hole BCD:
11.8", 299mm
Depth: 5.3", 135mm

T/S PARAMETERS

Fs: 42.0 Hz
Re: 5.1 ohms
Le: 1.6mH
Qms: 6.9
Qes: 0.27
Qts: 0.26
Vas: 38 L, 1.3 cuft
Xmax: 9mm

CONSTRUCTION

-Cast basket
-Ferrite magnet with vented voice coil
Full Product Specs From Manufacturer's Website
(<https://bcspeakers.com/en/products/lf-driver/12-0/8/12tbx100>)



ACCOUNT SIGN-IN

Sign in (<https://qcomponents.ca/login.php>)

Register ([register.php](https://qcomponents.ca/register.php))

Forgot password? ([help.php?section=Password_Recovery](https://qcomponents.ca/help.php?section=Password_Recovery))

- » Contact us ([help.php?section=contactus&mode=update](https://qcomponents.ca/help.php?section=contactus&mode=update))
- » About Us (<https://qcomponents.ca/About-us.html>)
- » Terms & Conditions (<https://qcomponents.ca/Terms-and-Conditions.html>)
- » Privacy statement (<https://qcomponents.ca/privacy-statement.html>)

Subscribe to our mailing list

email address



Subscribe

- » [Home \(home.php\)](#)
- » [Shopping Cart \(cart.php\)](#)
- » [How to find a replacement driver \(https://qcomponents.ca/selector.html\)](https://qcomponents.ca/selector.html)
- » [FAQ & Policies \(https://qcomponents.ca/faq.html\)](https://qcomponents.ca/faq.html)



[View desktop version](#)



Copyright © 2011-2021 Q Components

